US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB	2/26 11:28 2/25 17:49 2/27 10:24 2/25 17:50
US-PGVB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DER	2/25 17:49 2/27 10:24 2/25 17:50
DERWENT; IBM_TDB USPAT; OTOS/7.ccls. and detect\$3 with status with (watcher or change) OTOS/7.ccls. and detect\$3 with status with (watcher or change) OTOS/7.ccls. and detect\$3 with status with (watcher or change) OTOS/7.ccls. and detect\$3 with status with (watcher or change) OTOS/7.ccls. and detect\$3 with status with (watcher or change) and abnormal OTOS/7.ccls. and (find\$4 or detect\$3 or notic\$4) with status with (watcher or change) OTOS/7.ccls. and (find\$4 or detect\$3 or notic\$4) with status with (watcher or change) OTOS/7.ccls. and (find\$4 or detect\$3 or notic\$4) with status with (watcher or change) OTOS/7.ccls. and (find\$4 or detect\$3 or notic\$4) with USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; ISM_TDB USPAT; ISM_TDB USPAT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2/25 17:49 2/27 10:24 2/25 17:50
TIBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; US	2/25 17:49 2/27 10:24 2/25 17:50
27 705/7.ccls. and status with (watcher or change) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; US	2/25 17:49 2/27 10:24 2/25 17:50
change) Cha	2/25 17:49 2/27 10:24 2/25 17:50
change) Change US-PGPUB; EPC; JPC; DERWENT; IBM TDB USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM_TDB USPAT; US-PGPUB; EPC; DERWENT; IBM_TDB USPAT; US-PGPUB; EPC	2/27 10:24 2/25 17:50
O 705/7.ccls. and detect\$3 with status with (watcher or change) O 705/7.ccls. and detect\$3 with status with (USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; (watcher or change) and abnormal USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPA	2/27 10:24 2/25 17:50
- 0 705/7.ccls. and detect\$3 with status with (watcher or change) - 0 705/7.ccls. and detect\$3 with status with (USPAT; (US-PGPUB; EPO; JPO; DERWENT; IBM TDB (USPAT; (Watcher or change) and abnormal (USPAT; (US-PGPUB; EPO; JPO; DERWENT; IBM TDB (USPAT; (US-PGPUB; US-PGPUB; US-PGPU	2/27 10:24 2/25 17:50
- 10 705/7.ccls. and detect\$3 with status with (watcher or change) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; US-PGPUB	2/27 10:24 2/25 17:50
(watcher or change) (watcher	2/27 10:24 2/25 17:50
The status with st	2/25 17:50
The status with status with status with status with sparse of the status with status with sparse of the status with status with sparse of the status	2/25 17:50
The status with watcher status with status wit	2/25 17:50
- 10 705/7.ccls. and detect\$3 with status with (watcher or change) and abnormal USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; Change) - 2829 (find\$4 or detect\$3 or notic\$4) with status with (watcher or change) - 2829 (find\$4 or detect\$3 or notic\$4) with status with (watcher or change) - 3 detect\$3 with status with watcher - 4 detect\$3 with status with watcher - 5 detect\$3 with status with watcher - 6 detect\$3 with status with watcher - 7 detect\$3 with status with watcher - 7 detect\$3 with status with watcher - 8 detect\$3 with status with watcher - 9 detect\$3 with status with watcher - 10 detect\$3 with status with watcher	2/25 17:50
(watcher or change) and abnormal US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; OSPAT; O	2/25 17:50
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB;	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	
TBM_TDB USPAT; 2002/0 notic\$4) with status with (watcher or change) 2829 (find\$4 or detect\$3 or notic\$4) with status with (watcher or change) 2829 (find\$4 or detect\$3 or notic\$4) with status with (watcher or change) 3 detect\$3 with status with watcher 3 detect\$3 with status with watcher 3 detect\$3 with status with watcher 18M_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	
- 11 2 705/7.ccls. and (find\$4 or detect\$3 or notic\$4) with status with (watcher or change) - 2829 (find\$4 or detect\$3 or notic\$4) with status with (watcher or change) - 3 detect\$3 with status with watcher 3 detect\$3 with status with watcher 3 detect\$3 with status with watcher 2002/0 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; US-PGPUB;	
notic\$4) with status with (watcher or change) 2829 (find\$4 or detect\$3 or notic\$4) with USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;	
change) Cha	2/26 11:29
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB;	2/26 11:29
TBM_TDB USPAT; 2002/0 status with (watcher or change) - 3 detect\$3 with status with watcher 3 detect\$3 with status with watcher 3 detect\$3 with status with watcher 1 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2/26 11:29
status with (watcher or change) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB;	2/26 11:29
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB;	1
DERWENT; IBM TDB USPAT; US-PGPUB;	
detect\$3 with status with watcher IBM_TDB_USPAT; US-PGPUB; US-PGPUB;	
- USPAT; US-PGPUB; 2002/0	
US-PGPUB;	
	2/25 17:51
DERWENT;	
IBM TDB	
	2/25 17:51
change) US-PGPUB;	2/23 17.31
EPO; JPO;	
DERWENT;	
IBM_TDB	
	0/28 13:24
change) with (abnormal or irregular) US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB USPAT; 2002/0	0/05 17 50
- 0 detect\$3 with status with (watcher or USPAT; 2002/0 change) with (abnormal or irregular) and US-PGPUB;	2/25 17:56
workflow EPO; JPO;	
DERWENT;	}
IBM TDB	
	2/26 11:39
US-PGPUB;	. =
EPO; JPO;	
DERWENT;	
IBM_TDB	
	2/26 11:30
(alert\$3 or flag\$3) US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM TDB	
o vosvicers, and (rindy) or detected or object, 2002/0	2/26 13:01
notif\$4) with (alert\$3 or flag\$3) US-PGPUB;	
EPO; JPO;	
DERWENT;	
!	2/26 13:01
notif\$4) with (alert\$3) US-PGPUB;	., 20 10.01
EPO; JPO;	
DERWENT;	
IBM_TDB	1

		<u> </u>			
-	4	7	705/7.ccls. and workflow and (alert\$3)	USPAT; US-PGPUB;	2002/02/26 12:39
1				EPO; JPO;	
1				DERWENT;	
				IBM_TDB	
-	"	42	705/7.ccls. and alert\$3	USPAT;	2002/02/26 15:17
				US-PGPUB; EPO; JPO;	
				DERWENT;	
				IBM TDB	
-	1/	49	("4459663" "4561060" "4591983"	USPĀT	2002/02/26 13:05
1			"4796194" "4807108" "4827423" "4862376" "4887206" "4887218"		
			"4862376" "4887206" "4887218" "4956784" "5086397" "5089970"		
			"5093794" "5101352" "5119318"		
1			"5148370" "5155677" "5161110"		
			"5191534" "5216593" "5231567"		
			"5231585" "5233533" "5260866" "5262954" "5268838" "5278750"		
			"5282140" "5287284" "5311424"		
			"5311438" "5321605" "5321619"		
			"5325304" "5325582" "5339252"		
			"5351195" "5351196" "5357439"		
			"5369570" "5404288" "5442545" "5444632" "5463555" "5467285"		
			"5469361" "5638519" "5644493"		
			"6141647").PN.		
-		22521	(simultaneous or parallel) with (status or	USPAT;	2002/02/26 15:19
1			flag or alert)	US-PGPUB; EPO; JPO;	
				DERWENT;	
				IBM TDB	
-	"	3	1, ((USPĀT;	2002/02/26 15:20
			with (status or flag or alert)	US-PGPUB;	
				EPO; JPO; DERWENT;	
				IBM TDB	
-		2578	(simultaneous or parallel) with process\$4	USPAT;	2002/02/27 12:32
			with (status or flag or alert)	US-PGPUB;	
				EPO; JPO; DERWENT;	
				IBM TDB	
-	,,	2	(simultaneous or parallel) with process\$4	USPAT;	2002/02/26 15:21
	*		with (status or flag or alert) and	US-PGPUB;	
			workflow	EPO; JPO;	
				DERWENT; IBM TDB	
_	11	1	6073109.pn.	USPAT	2002/02/26 15:31
-		0	(simultaneous or parallel) with process\$4	USPAT;	2002/02/26 16:02
			with (status or flag or alert) with	US-PGPUB;	
			discontinuance	EPO; JPO;	
				DERWENT; IBM TDB	
-		0	(simultaneous or parallel) with (status	USPAT;	2002/02/26 16:02
			or flag or alert) with discontinuance	US-PGPUB;	
				EPO; JPO;	
				DERWENT; IBM TDB	
_	.	43	(status or flag or alert) with	USPAT;	2002/02/26 16:03
	"		discontinuance	US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
_		0	705/7.ccls. and (status or flag or alert)	IBM_TDB USPAT;	2002/02/26 17:58
		Ĭ	with discontinuance	US-PGPUB;	2002/02/20 17:38
				EPO; JPO;	
				DERWENT;	
L				IBM_TDB	

-		0	705/7.ccls. and (status or flag or alert) with discontin\$	USPAT; US-PGPUB;	2002/02/26 16:04
			with discontins	EPO; JPO;	
	1			DERWENT;	
	1			IBM_TDB	
-	10	2	705/7.ccls. and (status adj watcher)	USPAT;	2002/02/26 17:59
				US-PGPUB; EPO; JPO;	
				DERWENT;	
				IBM TDB	
-	и	9	status adj watcher	USPĀT;	2002/02/26 17:59
	7			US-PGPUB;	
				EPO; JPO; DERWENT;	
				IBM TDB	
-	İ	0	abnormal with status with watcher	USPAT;	2002/02/27 10:05
				US-PGPUB;	
	j			EPO; JPO; DERWENT;	
	į			IBM TDB	
-		0	abnormal near status with watcher	USPAT;	2002/02/27 10:04
				US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
_		0	discontinuance near status with watcher	IBM_TDB USPAT;	2002/02/27 10:06
		3		US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
_		0	discontinuance with status with watcher	IBM_TDB USPAT;	2002/02/27 10:05
-		U	discontinuance with status with watcher	US-PGPUB;	2002/02/2/ 10:05
				EPO; JPO;	
				DERWENT;	
		•	31	IBM_TDB	0000/00/05 10 05
-		0	discontin\$6 with status with watcher	USPAT; US-PGPUB;	2002/02/27 10:05
				EPO; JPO;	
				DERWENT;	
				IBM_TDB	
-		1962	abnormal with status	USPAT;	2002/02/27 10:06
				US-PGPUB; EPO; JPO;	
			, in the second	DERWENT;	
				IBM TDB	
-		0	abnormal with status with workflow	USPAT;	2002/02/27 10:06
				US-PGPUB; EPO; JPO;	
				DERWENT;	
				IBM TDB	
-	4	1	discontinuance near status	USPAT;	2002/03/01 09:08
	'			US-PGPUB;	
				EPO; JPO; DERWENT;	
				IBM TDB	
-		1067	discontin\$6 with status	USPAT;	2002/02/27 12:32
				US-PGPUB;	
				EPO; JPO;	
	ŀ			DERWENT; IBM TDB	
-		1	discontin\$6 with status and workflow	USPAT;	2002/02/27 10:09
	"			US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
_		3	(705/7.ccls. or 705/8.ccls. or	IBM_TDB USPAT;	2002/02/27 10:29
	"	J	705/10.ccls.) and status with (watcher or	US-PGPUB;	2002/02/27 10.29
			change) and abnormal with (abnormal\$3 or	EPO; JPO;	
			discont\$}	DERWENT;	
				IBM_TDB	

-	"	1	(705/7.ccls. or 705/8.ccls. or	USPAT;	2002/02/27 10:32
			705/10.ccls.) and status with discontin\$	US-PGPUB;	
				EPO; JPO; DERWENT;	
	-			IBM TDB	
_	1	0	(705/7.ccls. or 705/8.ccls. or	USPAT;	2002/02/27 10:33
į		J	705/10.ccls.) and status with (irregular	US-PGPUB;	2002, 02, 2, 20.33
	1		or sporadic)	EPO; JPO;	
•	ł		•	DERWENT;	}
	.			IBM TDB	
-	"	2	(USPAT;	2002/02/27 10:33
ŀ	1		705/10.ccls.) and (status or flag) with	US-PGPUB;	
	1		discontin\$	EPO; JPO;	
	1			DERWENT;	1
l _	a	4	(705/7.ccls. or 705/8.ccls. or	IBM_TDB USPAT;	2002/02/27 10:36
-	,	4	705/10.ccls.) and (status or flag) with	US-PGPUB;	2002/02/2/ 10:36
	-		simultaneous\$3	EPO; JPO;	
	1		DIMUL CUITCOUD FO	DERWENT;	
				IBM TDB	
-	11	5		USPAT;	2002/02/27 10:36
	- 1		705/10.ccls.) and (status or flag) with	US-PGPUB;	
	-		(simultaneous\$3 or parallel)	EPO; JPO;	
				DERWENT;	
		4 4 1	705/7.ccls.	IBM_TDB	2002/02/27 22 22
-	1	441	/UD//.CCIS.	USPAT;	2002/02/27 10:52
				US-PGPUB; EPO; JPO;	
				DERWENT;	
				IBM TDB	
-	.	52	705/7.ccls. and workflow	USPAT;	2002/02/27 11:20
	ч	_		US-PGPUB;	
	1			EPO; JPO;	
				DERWENT;	
			705/7 2232 223	IBM_TDB	0000/65/55
-	H	4	705/7.ccls. and workflow and alert	USPAT;	2002/02/27 11:21
	•			US-PGPUB; EPO; JPO;	
}				DERWENT;	
		:		IBM TDB	
-		610	status with change with (alert or flag)	USPAT;	2002/02/27 11:22
				US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
_		1 4 0	status add shares with /-1:	IBM_TDB	0000/00/00
-	4	140	status adj change with (alert or flag)	USPAT;	2002/02/27 11:58
				US-PGPUB; EPO; JPO;	
				DERWENT;	
	j			IBM TDB	
-		768	status with (alert or flag) with error	USPAT;	2002/02/27 11:58
1	!		_	US-PGPUB;	
	ŀ			EPO; JPO;	
	}			DERWENT;	-
_	ļ	^	status with /slaut 51 112	IBM_TDB	0000/00/00
-		0	status with (alert or flag) with error	USPAT;	2002/02/27 11:58
	ĺ		with workflow	US-PGPUB;	
				EPO; JPO; DERWENT;	
				IBM TDB	
-		1	status with (alert or flag) with error and	USPAT;	2002/02/27 12:00
	11	-	workflow	US-PGPUB;	
}				EPO; JPO;	
1				DERWENT;	
			ALABAMA MARAMATAN AMAMATAN AMA	IBM_TDB	0000/00/00
-	1.	13	status with discontin\$ with error	USPAT;	2002/02/27 12:02
	''			US-PGPUB;	
•				EPO; JPO; DERWENT;	
				IBM TDB	
L		J		TDE TOD	

				····		
-	u	183	status with (Parallel or simultaneous)	USPAT;	2002/02/27 12:0	02
l			with error	US-PGPUB; EPO; JPO;		
				DERWENT;		
				IBM TDB		
]_		9	("4484289" "4503499" "5040142"	USPAT	2002/02/27 12:3	10
	u	_	"5301320" "5535322" "5581691"			
			"5630069" "5734837" "5826239"			
Ì			"4484289" "4503499" "5040142"			
			"5301320" "5535322" "5581691"			
		9	"5630069" "5734837" "5826239").PN. 6073109.URPN.	USPAT	2002/02/27 12::	1 0
-	4	13	discontin\$6 with status with detect	USPAT;	2002/02/27 12:	
	**		arboniting with beatab with delege	US-PGPUB;	2002/02/21 12:0	,,
İ				EPO; JPO;		
				DERWENT;		
		7.3		IBM_TDB	0000/00/05 00	
-	11	73	discontin\$6 with status with detect\$4	USPAT; US-PGPUB;	2002/02/27 12:3	33
1				EPO; JPO;		
1				DERWENT;		
	.,			IBM_TDB		
-),t	122	discontinuity with status	USPAT;	2002/03/01 09:3	10
				US-PGPUB;		
				EPO; JPO; DERWENT;		
				IBM TDB		
-	ıí	6	discontinuity near status	USPAT;	2002/03/01 09:3	10
			_	US-PGPUB;		
				EPO; JPO;		
				DERWENT;		
_		4044	 status with (notif\$4)	IBM_TDB USPAT;	2002/10/28 13:2	25
		1011	Status with (notify4)	US-PGPUB;	2002/10/20 13.2	25
				EPO; JPO;		
				DERWENT;		
Ì		<u>.</u>		IBM_TDB		
-	μ	64	workflow\$4 and status with (notif\$4)	USPAT; EPO; JPO;	2002/10/28 13:3	32
				DERWENT;		
				IBM TDB		
-	ř.	5	workflow\$4 and status with (notif\$4) with	USPĀT;	2002/10/28 13:3	31
			(chang\$5 or detect\$5)	EPO; JPO;		
				DERWENT;		
_	it.	1	6073109.pn.	IBM_TDB USPAT	2002/10/28 13:5	Ľ 1
-		307	705/7.cor.	USPAT;	2002/10/28 13:3	
				US-PGPUB;		
				EPO; JPO;		
				DERWENT;		
_		328	705/8.cor.	IBM_TDB USPAT;	2002/10/28 16:4	12
		320	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	2002/10/20 10:4	13
				EPO; JPO;		
				DERWENT;		
		00555		IBM_TDB		
-		20577	status and (abnormal\$4 or discontin\$5 or	USPAT;	2002/10/28 16:4	16
			error\$4 or problem\$4) and (notif\$6)	US-PGPUB; EPO; JPO;		
				DERWENT;		
				IBM TDB		
-		15513	status and (abnormal\$4 or discontin\$5 or	USPAT;	2002/10/28 16:4	16
			error\$4) and (notif\$6)	US-PGPUB;		
				EPO; JPO;		
1				DERWENT; IBM TDB		
-		2477	status and (abnormal\$4 or discontin\$5 or	USPAT;	2002/10/28 16:4	16
			error\$4) with (notif\$6)	US-PGPUB;	112, 20, 20 10.9	- •
				EPO; JPO;		
				DERWENT;		
L				IBM_TDB	<u> </u>	

		202	letatus with Johnsons ICA or discontince or	USPAT;	2002/10/20 16-47
_		323	status with (abnormal\$4 or discontin\$5 or error\$4) with (notif\$6)	USPAT; US-PGPUB;	2002/10/28 16:47
			errors4) with (notirs6)	EPO; JPO;	
				DERWENT;	
		1.4	705/7-10.ccls. and status and (abnormal\$4	IBM_TDB	2002/10/20 16:40
-	43	14		USPAT;	2002/10/28 16:48
			or discontin\$5 or error\$4) with (notif\$6)	US-PGPUB;	
				EPO; JPO;	
				DERWENT; IBM TDB	
		3	(alert\$4 or alarm\$4) with trigger\$5 with	USPAT	2003/04/30 12:01
_	14	3	status with simultaneous\$4	USPAI	2003/04/30 12:01
_	.,	13	· ·	USPAT	2003/04/30 12:01
	"]	13	status and simultaneous\$4 and business	USFAI	2003/04/30 12.01
_		0	(alert\$4 or alarm\$4) with trigger\$5 with	USPAT	2003/04/30 12:02
		O	status and simultaneous\$4 and	OSTAI	2003/04/30 12:02
			705/7-13.ccls.		
_	· I	32		USPAT	2003/04/30 13:14
	"	32	status and simultaneous\$4 and	OSTAI	2003/04/30 13.14
			705/7-13.ccls.		
_	(1)	122		USPAT	2003/04/30 14:59
			status and simultaneous\$4		= = = = = = = = = = = = = = = = = = =
_	•"	7		USPAT	2003/04/30 15:49
_	u	91	"709" and simultaneous\$4 and abnormal with	USPAT	2003/04/30 15:14
			status		
_	11	41	5710885.URPN.	USPAT	2003/04/30 15:10
-		0	"709" and simultaneous\$4 and abnormal with	USPAT	2003/04/30 15:14
			status with watcher and notif\$6		
-		0	"709" and simultaneous\$4 and abnormal with	USPAT	2003/04/30 15:14
			status and watcher and notif\$7		
-	ci	49	1	USPAT	2003/04/30 15:15
		75.61	status and notif\$7		
-		7561	• • • • • • • • • • • • • • • • • • • •	USPAT	2003/04/30 16:15
-		1199	l · ·	USPAT	2003/04/30 16:15
-		217		USPAT	2003/04/30 16:15
-	11	112 18		USPAT	2003/04/30 16:16
_	vi	10		USPAT USPAT	2003/04/30 16:16
	IN.	10	simultaneous\$4	USPAT	2003/04/30 16:16
_	,,	2	l '	USPAT;	2003/05/01 11:23
		-	00,3103.pm.	US-PGPUB;	2003/03/01 11.23
				EPO; JPO;	
				DERWENT;	
				IBM TDB	
_	£ 4	2	4503499.pn.	USPAT;	2003/05/01 11:34
			-	US-PGPUB;	,
				EPO; JPO;	
				DERWENT;	
				IBM TDB	
-	14	135	4503499.URPN.	USPAT	2003/05/01 11:31
-		4141	((abnormal or error) with status) and	USPAT;	2003/05/01 11:38
	ļ		((prevent\$4 or stop\$4) with (execut\$4 or	US-PGPUB;	
			process\$4))	EPO; JPO;	
				DERWENT;	
	-			IBM_TDB	
-	11	256	(abnormal or error) with status with	USPAT;	2003/05/01 11:38
			(prevent\$4 or stop\$4) with (execut\$4 or	US-PGPUB;	
			process\$4)	EPO; JPO;	
				DERWENT;	
				IBM_TDB	